

Din nr.	Vægt	Ah (20h)	Koldstartstrøm AEN / SAE	Max. ydre mål i mm L x B x H	Pol Stilling	Pol Type	Bespæn- ding	Refe – rense
6 Volt Åbne Start Batterier								1 / 4 - 2017
06617	11,9	66	360 / 400	178 x 175 x 188	0	1	B 04	D 42
06617 B	11,9	66	360 / 400	178 x 175 x 188	0	1	Bakelit kasse	105 B
07011 B	12,5	70	320 / 340	175 x 167 x 220	0	1	Bakelit kasse	E 29
07715	13,0	77	360 / 400	216 x 170 x 191	0	1	B 06	E 30
07715 B	13,0	77	360 / 400	216 x 170 x 191	0	1	Bakelit kasse	106 B
08411	15,0	84	390 / 420	230 x 171 x 220	0	1		104
08411 B	15,0	84	390 / 420	230 x 171 x 220	0	1	Bakelit kasse	104 B
09811 B	17,7	98	480 / 500	252 x 177 x 220	0	1	Bakelit kasse	107 B
11213 B	18,5	112	530 / 570	503 x 98 x 218	3	1	Bakelit kasse	108 B
13512	24,0	135	500 / 530	296 x 175 x 237				112
13512 B	24,0	135	500 / 530	296 x 175 x 237	1	1	Bakelit kasse	112 B
14023	21,0	140	720 / 780	240 x 170 x 230	0	1	B 01	109
15030	23,8	150	760 / 800	333 x 175 x 235	0	1	B 11	113
22022	30,1	220	840 / 900	293 x 182 x 225	0	1		118
22023	31,0	220	950 / 1010	393 x 182 x 225	1	1		123
12 Volt Åbne og Lukkede Start Batterier								
53506	10,9	35	540 / 600	205 x 175 x 135	0	0		535006
54025	11,2	40	330 / 350	187 x 140 x 227	0	3	B 01	A 13
54026	11,2	40	330 / 350	187 x 127 x 227	0	3		A 14
54027	11,2	40	330 / 350	187 x 127 x 227	1	3		A 15
54036	13,0	40	400 / 430	238 x 136 x 202	0	1	B 06	536
54090	13,0	40	400 / 430	238 x 136 x 202	1	1	B 06	537
54401	11,5	44	420 / 450	175 x 175 x 190	0	1	B 03	B 36
54402	12,2	44	440 / 470	207 x 175 x 175	0	1	B 03	B 18
54512	12,2	45	400 / 430	207 x 175 x 190	0	1	B 03	B 19
54513	12,2	45	400 / 430	207 x 175 x 190	1	1	B 03	B 20
54555	13,1	45	330 / 350	238 x 129 x 227	0	3		B 31
54556	13,1	45	330 / 350	238 x 129 x 227	0	1		B 32
54557	13,1	45	330 / 350	238 x 129 x 227	1	3		B 33
54558	13,1	45	330 / 350	238 x 129 x 227	1	1		B 34
54578	13,1	45	300 / 320	219 x 135 x 225	0	3	B 01	NN
54579	13,1	45	300 / 320	219 x 135 x 225	1	1	B 01	B 24
55040	13,1	50	360 / 400	200 x 173 x 222	0	1	B 01	EB 504
55200	13,8	52	470 / 490	207 x 175 x 190	0	1	B 03	C 22
55201 S	13,8	52	520 / 550	207 x 175 x 175	0	1	B 03	C 6



Nordjysk Akkumulator

Din nr.	Vægt	Ah (20)	EN / SAE	L x B x H	Pol st.	Pol type	Be. Sp.	Ref.
12 Volt Åbne og Lukkede Start Batterier								1 / 4 - 2017
55400 S	14,0	54	530 / 560	207 x 175 x 190	0	1	B 03	C 30
55601	13,9	56	480 / 500	242 x 175 x 190	1	1	B 03	C 15
56008	14,6	60	540 / 600	242 x 175 x 190	0	1	B 03	D 24
56009	14,6	60	540 / 600	242 x 175 x 175	0	1	B 03	D 59
56010	15,8	60	540 / 600	232 x 173 x 225	0	1		D 47
56011	15,8	60	540 / 600	232 x 173 x 225	1	1		D 48
56013	15,0	60	490 / 510	230 x 170 x 168	1	1	B 03	372
56027	14,6	60	540 / 600	242 x 175 x 190	1	1	B 03	D 43
56100 S	16,2	61	600 / 650	242 x 175 x 175	0	1	B 03	D 21
56300 S	16,6	63	610 / 660	242 x 175 x 190	0	1	B 03	D 15
56301 S	16,6	63	610 / 660	242 x 175 x 190	1	1	B 03	D 39
56548	16,8	65	580 / 640	232 x 173 x 225	0	1	B 01	267
57010 B	17,1	70	530 / 590	272 x 175 x 218	0	1		338 B
57011	19,0	70	650 / 710	277 x 175 x 190	1	1	B 03	346 MF
57012	16,9	70	630 / 690	261 x 175 x 220	0	1	B 01	E 23
57013	16,9	70	630 / 690	261 x 175 x 220	1	1	B 01	E 24
57209	16,6	72	680 / 750	278 x 175 x 175	0	1	B 03	E 43
57211	21,0	72	440 / 470	490 x 110 x 220	5	1		532
57402 S	17,8	74	750 / 790	278 x 175 x 175	0	1	B 03	E 38
57412	17,3	74	680 / 750	278 x 175 x 190	0	1	B 03	E 11
57413	17,3	74	680 / 750	278 x 175 x 190	1	1	B 03	E 12
57700 S	18,6	77	780 / 840	278 x 175 x 190	0	1	B 03	E 44
58006	18,8	80	740 / 780	315 x 175 x 175	0	1	B 03	F 17
58500 S	19,6	85	800 / 860	315 x 175 x 175	0	1	B 03	F 18
58504 S	19,8	85	800 / 860	315 x 175 x 190	0	1	B 03	F 19
58803	20,6	88	740 / 780	353 x 175 x 175	0	1	B 03	F 5
59050	25,0	90	850 / 890	317 x 175 x 190	1	1	B 03	350
59500 B	21,7	95	700 / 750	306 x 173 x 225	0	1		245 B
59502	21,9	95	800 / 860	353 x 175 x 190	0	1	B 03	G 3
60000	21,7	100	830 / 870	306 x 173 x 225	0	1	B 01	G 7
60001	21,7	100	830 / 870	306 x 173 x 225	1	1	B 01	G 8
60002 S	24,0	100	860 / 900	353 x 175 x 190	0	1	B 03	H 3
60023	24,9	100	720 / 760	313 x 175 x 205	0	1	B 03	H 9
60035	26,7	100	600 / 650	413 x 175 x 220	1	1		H 4
60202	26,9	105	800 / 860	330 x 175 x 235	9	1	B 01	H 17
60203	26,9	105	800 / 860	330 x 175 x 235	9	B - M10	B 01	H 16

Åvej 30, 9400 Nørresundby, tlf.: 98 17 22 62

Din nr.	Vægt	Ah (20)	EN / SAE	L x B x H	Pol St.	Pol type	Be. Sp.	Ref.
12 Volt Åbne og Lukkede Start Batterier								1 / 4 - 2017
61002 S	26,1	110	920 / 970	394 x 175 x 190	0	1	B 03	I 1
61004	28,6	110	680 / 750	347 x 173 x 234	0	1	B 01	I 18
61013	31,0	110	760 / 800	514 x 175 x 210	3	1	B 03	I 2
61047	28,6	110	680 / 750	347 x 173 x 234	0	1		I 4
61048	28,6	110	680 / 750	347 x 173 x 234	1	1		I 5
61050	27,8	110	850 / 890	413 x 175 x 220	0	1	B 03	I 6
62009	35,1	120	760 / 800	510 x 175 x 235	4	1	B 03	I 16
62512	31,2	125	720 / 760	349 x 175 x 290	0	1		J 1
62514	31,2	125	720 / 760	349 x 175 x 290	1	1		J 2
62523	36,8	125	900 / 950	286 x 269 x 230	8	1		J 3
63014	37,8	130	680 / 750	514 x 218 x 208	3	1		J 5
63542	42,3	135	680 / 750	360 x 253 x 240	6	1	B 11	J 8
63552	35,5	135	1000 / 1050	514 x 175 x 210	3	1	B 03	J 10
64000	35,8	140	800 / 860	513 x 189 x 223	3	1	B 03	K 8
64003	35,8	140	800 / 860	513 x 189 x 223	3	1		K 10
64025	40,5	140	760 / 800	348 x 175 x 290	0	1		745
64307	36,5	143	900 / 950	508 x 174 x 205	0	1	B 01	K 11
64333	39,9	143	950 / 1010	514 x 218 x 210	3	1	B 03	K 4
64500 S	36,6	145	800 / 860	513 x 189 x 223	3	1		LFD 140
65411	40,0	154	1150 / 1200	513 x 189 x 223	3	1		M 11
65800	39,0	158	900 / 950	514 x 218 x 208	3	1		756
66004	45,2	160	900 / 950	512 x 200 x 230	4	1		66004
66511	49,3	165	800 / 860	346 x 335 x 240	6	1		751
67003	44,2	170	1000 / 1050	513 x 223 x 223	3	1		M 8
67004	44,2	170	1000 / 1050	513 x 223 x 223	3	1	B 03	M 9
68002	40,0	180	1400 / 1490	507 x 223 x 215	3	1		323
68003	44,7	180	1150 / 1200	513 x 223 x 223	3	1		320
68008 S	45,1	180	1000 / 1050	513 x 223 x 223	3	1		M 18
68011	46,0	180	1400 / 1490	513 x 223 x 223	3	1		M 12
68033	45,0	180	1100 / 1150	513 x 223 x 223	4	1	B 03	M 7
69033	47,0	190	1200 / 1260	513 x 223 x 223	4	1	B 03	M 10
70032	49,0	200	1400 / 1490	514 x 218 x 223	3	1	B 03	324
72014	54,3	220	1150 / 1200	518 x 275 x 242	4	1		331
73003 S	62,0	230	1150 / 1200	518 x 276 x 242	3	1		N 9



Nordjysk Akkumulator




Din nr.	Vægt	Ah (20)	EN / SAE	L x B x H	P st.	P typ	Besp.	Ref.
12 Volt Lukkede Amerikanske Højstrøms Start Batterier								1 / 4 - 2017
85060	14,5	60	640 / 670	235 x 175 x 185	1	SG	B 01	670
85061	14,5	60	640 / 670	205 x 175 x 205	1	1 / SG	B 01	671
85080	18,5	80	790 / 850	265 x 175 x 185	1	SG	B 01	850
85081	18,5	80	790 / 850	265 x 175 x 205	1	1 / SG	B 01	851
85095	20,0	95	900 / 950	292 x 189 x 191	1	1	B 04	950
85118	27,0	118	950 / 1000	330 x 175 x 235	9	1		1000
85119	27,0	118	950 / 1000	330 x 175 x 235	9	B		1000 B
12 Volt Lukkede AGM Start – Stop Batterier								1 / 4 - 2017
55001 A	15,2	50	530 / 580	207 x 175 x 190	0	1	B 03	BM 52 C
56001 A	17,7	60	680 / 750	242 x 175 x 190	0	1	B 03	D 52
57001 A	20,4	70	760 / 800	278 x 175 x 190	0	1	B 03	E 39
58001 A	22,5	80	800 / 860	315 x 175 x 190	0	1	B 03	F 21
59501 A	26,4	95	850 / 890	353 x 175 x 190	0	1	B 03	G 14
60501 A	29,2	105	950 / 1010	393 x 175 x 190	0	1	B 03	H 15
12 Volt Lukkede EFB Start – Stop Batterier								1 / 4 - 2017
56002	16,5	60	560 / 610	242 x 175 x 190	0	1	B 03	D 53
56502	18,4	65	650 / 710	278 x 175 x 175	0	1	B 03	D 54
57002	18,9	70	650 / 710	278 x 175 x 190	0	1	B 03	E 45
57502	20,7	75	730 / 790	315 x 175 x 175	0	1	B 03	E 45
58002	21,3	80	730 / 790	315 x 175 x 190	0	1	B 03	F 22
68002	46,4	180	1000 / 1080	513 x 223 x 223	3	1		E 18
74002	64,0	240	1200 / 1290	518 x 276 x 242	3	1		C 40



Nordjysk Akkumulator

Din nr.	Vægt	Ah (20)	EN / SAE	L x B x H	P st.	P typ	Besp	Ref.
Optima Batterier Rød Start - Gul Forbrug - Blå Marine								1 / 3 - 2017
810-355 R	8,3	6V 50	815 / 865	255 x 90 x 206	9	1	B 11	S 2,1 L
820-255 R	14,4	44	730 / 790	237 x 172 x 197	1	1	B 01	S 3,7 L
822-255 R	15,0	44	730 / 790	237 x 172 x 197	1	1 / SG	B 01	U 3,7 L
835-255 R	14,4	44	730 / 790	237 x 122 x 197	0	1	B 03	R 3,7 L
801-287 R	17,2	50	815 / 865	254 x 175 x 200	9	1		C 4,2 L
802-250 R	17,2	50	815 / 865	254 x 175 x 200	1	1		S 4,2 L
803-251 R	17,2	50	815 / 865	255 x 175 x 200	0	1	B 11	R 4,2 L
804-250 R	17,6	50	815 / 865	254 x 175 x 200	1	1 / SG		U 4,2 L
878-209 R	17,5	50	815 / 865	254 x 185 x 184	1	SG		F 4,2 L
870-176 G	11,8	38	460 / 490	237 x 129 x 227	1	3		S 2,7 J
871-176 G	11,8	38	460 / 490	237 x 129 x 227	1	1		S 2,7
872-176 G	11,8	38	460 / 490	237 x 129 x 227	0	3		R 2,7 J
873-176 G	11,8	38	460 / 490	237 x 129 x 227	0	1		S 2,7 L
840-222 G	16,6	48	660 / 700	237 x 172 x 197	0	1	B 13	R 3,7 L
812-254 G	19,5	55	765 / 805	254 x 174 x 200	1	1		S 4,2 L
814-254 G	19,9	55	765 x 805	254 x 174 x 200	1	1 / SG		U 4,2 L
837-327 G	24,0	66	845 / 900	308 x 166 x 238	0	1	B 01	R 5,0 L
851-187 G	26,5	75	975 / 1025	325 x 165 x 238	9	1		S 5,5 L
806-252 B	17,4	50	815 / 865	254 x 174 x 200	1	1 / B		S 4,2 L
816-253 B	19,7	55	765 x 805	254 x 175 x 200	1	1 / B		D 4,2 L
827-227 B	24,0	66	800 / 850	310 x 175 x 220	1	1 / B		D 5,0 L
852-188 B	26,5	75	975 / 1025	325 x 165 x 238	8	1 / B		D 5,5 L

Vejledning til Start Batterier



SG = side gevind pol - G = gevind pol - B = bolt pol 10 mm - H = hul pol - M 6 = 6 mm gevind pol
 M 8 = 8 mm gevind pol - K = kabel pol

Motorcykel Batterier

